

DAULAT RAM COLLEGE
UNIVERSITY OF DELHI, DELHI

DRC/75(T)/2017/

Dated: 8.12.2017

LIMITED TENDER NOTICE

Sealed Limited Tenders are invited from the working contractors enlisted with CPWD, Railways, MES, and working contractors of Delhi University for the following work so as to reach the Office of the Undersigned by 4.00 P.M. on 19.12.2017. Tender forms can be obtained from the College office up to 3.00 P.M. on 18.12.2017 or can be downloaded from College website <http://www.dr.du.ac.in>

NAME OF THE WORK	MAKING LIFT CABIN
Estimated Cost	Rs. 5,83,940.00
Earnest Money	Rs. 11680.00
Time Allowed	12 days
Cost of Tender Form	Rs. 500.00
Last date and Time for Submission the Tender Forms	19.12.2017 up to 4.00PM
Time and date of opening of tender Bid	20.12.2016 at 11.30AM

Note:-

4. Earnest Money in the form of Bank draft in favor of Principal, Daulat Ram College, University of Delhi, Delhi-7 should accompany the Tender. The tender without earnest money will be rejected.
5. The successful contractor will have to execute an Agreement with the Principal, Daulat Ram College.
6. (a). For any dispute if remain unsolved, it will be reported to sole Arbitrations to be appointed by the Governing Body of the College.
(b). Jurisdictions shall be Delhi Court.


PRINCIPAL


DAULAT RAM COLLEGE
(UNIVERSITY OF DELHI)

Sub: Making lift cabin for Dulat Ram College, University of Delhi						
S. No	Item Code	Description of items	Unit	Qty	Rate	Amount
1	2.8.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	cum	30		
2	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	cum	20		
3	2.26.1	Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials. All kinds of soil	cum	20		
4	2.27	Supplying and filling in plinth with Jamuna sand under floors, including watering, ramming, consolidating and dressing complete.	cum	0.5		
5	2.34.1	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	ltr	1		
6	2.35.1	Diluting and injecting chemical emulsion for POSTCONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion) : Along external wall where the apron is not provided using chemical emulsion @ 7.5 litres / sqm of the vertical surface of the substructure to a depth of 300 mm including excavation channel along the wall & rodding etc. complete. With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration	mtr	20		
7	2.35.3.1	Treatment of soil under existing floors using chemical emulsion @ one litre per hole, 300 mm apart including drilling 12 mm diameter holes and plugging with cement mortar 1 : 2 (1 cement : 2 Coarse sand) to match the existing floor : With Chlorpyriphos/Lindane E.C. 20% with 1% concentration	sqm	10		
8	4.1.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level				
a	4.1.3	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	cum	2		
b	4.1.10	1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)	cum	2		
9	5.1.3	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	cum	4		
10	5.9.1	Centering and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete	sqm	20		

S. No	Item Code	Description of Items	Unit	Qty	Rate	Amount
11	6.1.2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	8		
12	6.2.2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	cum	15		
13	8.2.2.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills , facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edgesto give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm	sqm	40		
14	8.4	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	mtr	20		
15	13.1.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	sqm	150		
16	13.45.1	Finishing walls with textured exterior paint of required shade : New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including priming coat of exterior primer applied @ 2.20kg/ 10 sqm	sqm	150		
17	15.2.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	cum	2		
18	15.8.3	Removing mortar from bricks and cleaning bricks including stacking within a lead of 50 m (stacks of cleaned bricks shall be measured) From brick work in cement mortar	Nos /100	4		
19	15.60.	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	20		
20	5.22.3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Cold twisted bars	kg	400		
21	13.16.1	6 mm cement plaster of mix : 1:3 (1 cement : 3 fine sand)	sqm	120		
22	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	sqm	300		
23	13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	sqm	120		
24	MR	Extra for additional fittings of lift as per manufacturers manual	L.S.			
					Total	

- 31. The performance security will be discharged after completion of the contractor's performance obligations including any warranty obligations under the contract, after completion of 6 months from the date of agreement as defect liability period.
- 32. All materials to be used on the work shall be of reputed makes/ISI marked, as per the sample approved.
- 33. The successful contractor or his representative should be made available at work site during the execution of the work.
- 34. The contractor has to make his own arrangement of T&P required for execution of the work and no claim will be admissible on this account.
- 35. In case the work site is not made available to the contractor according to the programme, no claim will be admissible on this account. However extension of time will be granted.
- 36. Water & Electricity shall be made available free of cost at one point near to site of work.

S. Raj
Principal

Name and Sign. Of Contractor _____

Address _____
Phone/Mobile Nos. _____
PAN/VAT no. _____

Terms and Conditions:-

19. The successful Contractor will have to execute an Agreement with the Principal, Daulat Ram College.
20. Time allowed for the work from the date of written order to commence the work and will be completed within 30 days. Liquid damages will be charged @ 1% per week of the value of contract.
21. The work shall be carried out as per CPWD specifications.
22. The Contractor will have to get sample of all materials and all fittings examined by the College authorities before using them on work.
23. The Contractor shall see the site of work before Tendering at his own cost.
24. In case of error in description of any DSR item, given in the schedule, the description given in the CPWD schedule of rates shall be final and no claim on account of error shall be made.
25. The College reserves the right to split the works among the tenders and the decision of Principal shall be final and binding on the tenders.
26. The acceptance of the tender will rest with the Principal who does not bind herself to accept the lowest tender and reserves the right to reject any or all tenders received without assigning any reason. All tenders in which any or the prescribed conditions are not fulfill is liable to be rejected.
27. This tender shall remain open for acceptance for a period of 90 days from the date of opening of tender. If any tender withdraws his tender before the said period or made any modifications in the terms and conditions of the tender which are not acceptable to the College then the College without pre-judice to any other right or remedy be at liberty to forfeited the Earnest Money.
28. The site shall be cleared of all loose stones, materials rubbish or all kinds as well as tar felt. All the area will be cleaned as required as directed. Nothing extra will be paid on this account.
29. The Contractor shall not deposit materials on site, which will cause inconvenience to the staff/students. The undersigned may require the contractor to remove any materials which are considered to be dangerous or inconvenient to the staff/student or cause them to be removed, at the contractors cost.
30. The Contractor shall furnish performance security equal to 5% of the value of work order within 7 days from the date of issue of Work Order. The performance Security should be in form of Bank Draft drawn in favour of Principal, Daulat Ram College, or in form of Bank Guarantee of the equivalent amount as security towards the fulfillment of work order. No claim would be entertained against the College in respect of interest of the deposit.

Cont...P/3